

Test the patients orientation

-criteria for borderline

-about borderline impulsivity: in what facets are they impulsive (kanu substance use, promiscuity, spending, driving, w kaman eshi 3ad nasyeh esh)

-talk about anyipsychotics

-what makes the high potency antipsychotics more potent (higher D2 antagonism)

1. Examine abstract

2. Difference between Mani and Hypomani

3. Criteria of Hypomania (same as Mania, add the differences between it and hypomania)

4. Opiate withdrawal symptoms (don't forget Lacrimation, rinorrhea, salivation, and polyarthralgia which is treated by NSAIDs)

Abstract

Conduct disorder

All you know about antipsychotics

Nms

Muscle relaxants

Examine Concentration

Perceptual disorders

Types of hallucinations

Antipsychotics

phases of psychosis

رغد صمادي: [17:38 ,10/05]Judgment

Abstract

Insight orientation

Perception. Disorders

Schizophrenia ( 6 months. + symptoms غيز ال انوشو بصير خلال 6 )

هون بتحو ال phases

الproderrmal

Psychosis ( active)

Residual )

Mania w hypmania

Neuroleptic malignant syndrome (

او لا antipsychotics دققو شوي انو ازا بعملها ادوية غير ال

ttt بال dopamine agonist ركزو فيها انو قي

Bromocriptine دقق عليها

antipyretic و سائلين شو في امثلة

Panic كلو

Adhd

( criteria

inattention كيف بميز

Hyperactivity

Impulsivity )

Opiates withdrawal ( ttt of diarrhea

Loperamide )

Crises ( vs crash

Antipsychotic

Delusional disorder

Cluster of personalities بشكل عام

avoidant ( سأل عن

Narcolepsy

anxiety ( كيف انميز بين

hyperthyroidism على

hyperthyroidism بال atrial fibrillation يكون في ekg منعزل

Delusion type

Primary vs secondary

Hallucinations w types

Delirium

شو يكون عنده autism مريض ال

asperger syndrome شو يلي بميزة عن

Answer : asperger syndrome >> language intact

Definition and subtypes of hallucinations

Cocaine bug

Fornication and fornication

Mental: abstract