

1

Best description for the site and pattern of this fracture:
(2 Points)



2



The classification of the fractured diaphyseal fracture is
(2 Points)

3

Name the bone pointed at with the arrow
(2 Points)



4

What deformity result if this fracture doesn't unite
(1 Point)



5

9 years old boy patient presented with left foot pain.
No history of trauma
X-ray shown
(2 Points)



6

what is the most common complication of this fracture?
(1 Point)



7

which nerve commonly injured with this injury?
(1 Point)



8

Name the fracture
(2 Points)



9



What is the most likely injured nerve with this deformity
(2 Points)

10

Name the Blue line
(2 Points)



11

Diagnosis on the RT hip
(2 Points)



12



Patient was asked to make a fist of both hands, patient found to have this deformity.

What is the nerve most likely injured with this injury
(1 Point)

13



7 days baby present to clinic What is the name of this condition?
(1 Point)

14

Name the injured ligament in this condition
(2 Points)



15

Diagnosis of this condition
(1 Point)



16

Name this test
(1 Point)



17

In a Trendlenburg's test

18

The most sensitive test for meniscal tears is

19

OK sign tests for
(2 Points)

20

Wilson's test is for
(1 Point)

21

Thompson's test is for
(1 Point)

22

excessive motion at the fracture site will cause
(1 Point)