



PHARMACOLOGY



DONE BY : Volunteer

	Estragen	Progestrogen
different on uterus	- Proliative changes - ↑ sensitivity to oxytocin	- secretory changes - decrease sensitivity to Oxytocin
on cervix	- watery alkaline	- viscous scanty and cellular secretion
on vagina	- thick + stratified	- Leukocyte infiltration
Breast	- Growth, Proliative of duct and stroma accumulation of fat	- Proliferation of mammary gland - Prepare breast for lactation
CNS	-	depression
Body Temp	↑	slight increase
Metabolism	↓ LDL, ↑ HDL, ↑ insulin resist	↑ LDL, ↓ HDL, ↑ insulin resistance.
Pituitry	good inhibitor	weak inhibitor on Pituitary Better on hypothalamus
Uses	<ul style="list-style-type: none"> - Oral contraceptive - Hormone replacement therapy <ul style="list-style-type: none"> → Post menopausal → delay puberty girls → senile vaginosis - Dysmenorrhea - acne in girls - dysfunction - Cancer Prostate 	<ul style="list-style-type: none"> - Hormonal contraceptive - Hormone replacement therapy - Dysmenorrhea <ul style="list-style-type: none"> - Endometriosis - Endometrial Ca
Adverse effect	<ul style="list-style-type: none"> - Nausea - Breast <u>tenderness</u> - Weight gain - endometrial hyperplasia - ↑ Endometrial Ca, Breast - Hypertension - thromboembolism - Male <ul style="list-style-type: none"> → Feminization → Impotence → increase libido → gynecomastia's 	<ul style="list-style-type: none"> - Breast engorgement - Headache + I - ↑ Body Temperature - irregular bleeding - depression - edema - HT - ↓ HDL, ↑ LDL, ↑ blood sugar - Hirsutism

Drug	Mechanism	Uses	SE	Cancer	Note
* Clomiphene	Blocks central estrogen receptor	- Female infertility due to lack ovulation - In vitro fertilization	- Polycystic - Multiple Pregnancy - Hot Flushes - Gastric upset	↑ ovary tumor	
* Tamoxifen	(SERM) - Peripherally Akt → Breast, BV Ag → Uterus, Bone, Pit	* Hormonal sensitive Breast cancer	- Hot Flushes - irregular menses - vaginal bleeding - thrombosis	↑ endometrial tumor ↓ Breast ca	- different from estrogen by do not cause ↑ HDL, TG - different than clomiphene that is more peripherally.
* Raloxifene	SERM - Ant - Breast + endometrium Ag - Bone + CVS	* 2 nd line for osteoporosis in post menopausal 1 st line is Bisphosphonate	- DVT - occasional - Hot flushes - vaginal bleeding	↓ Breast Ca ↓ endometrial Ca	- different than tamoxifen by ↓ endometrial Ca.
* Letrozole	- reversible aromatase inhibitor	1 st line for Hormone sensitive Ca after menopause	- Hot flushes - GIT upset - Joint Pain - ↓ Bone mass	↑ Breast Post ↓ endometrial	Back to slide
* Mifepristone	- Progesterone modulator - Glucocorticoid antagonist	- Abortion - Cushing syndrome - ↑ sensitivity to oxytocin - mesoprostol	- Abdominal Pain - uterine bleeding - May incomplete abortion.		

